

CONFIDENTIAL

29D-LR-35063

Continuation of FD-302 of SHEILA FOSTER ANTHONY, On 4/28/94, Page 10

been thin when he arrived in Washington but had gained a significant amount of weight while working at the White House. ANTHONY believes that the weight gain may be at least partly attributable to the fact that FOSTER was not eating well and was eating quite a bit of fast food due to the overwork situation. FOSTER began to lose weight during the last six weeks prior to his death and weighed much less than he had weighed in January 1993. However, ANTHONY is unable to estimate the amount of weight FOSTER lost in terms of pounds. FOSTER did not mention to ANTHONY any problems with headaches, loss of appetite, indigestion or vomiting.

Among the activities which FOSTER engaged in to relax was reading. FOSTER had a swimming pool in the back yard of his home in Little Rock, and he and the family enjoyed swimming in their pool. FOSTER also enjoyed cooking and traveling, and he took his family on numerous trips. FOSTER did not participate in many sports, but he enjoyed attending his children's games and watching them play. ANTHONY did not observe any recent changes in FOSTER's interests or hobbies after he arrived in Washington.

FOSTER typically worked Monday through Saturday each week. On alternating Sundays, either FOSTER or BERNARD NUSSBAUM was on standby duty to be available to deal with matters which arose at the White House Counsel's office.

In terms of describing FOSTER's relationship with his wife, ANTHONY regarded it as warm and real. FOSTER was married to LISA FOSTER for approximately twenty-five years. ANTHONY regarded FOSTER as an excellent father who spent much time with his children. In particular, FOSTER was very conscientious about spending time with each of his children so that they each received individual attention. FOSTER would occasionally take one of the children on a trip with him just so the child could receive this individual attention. FOSTER was very interested in everything that his children did.

OIC 000201

CONFIDENTIAL

29D-LR-35063 SUB A

Continuation of FD-302 of Dr. Larry S. Watkins On 5/16/94 Page 3

sometimes the very first day. He felt it was very important for FOSTER to start sleeping better and thought that if he got some rest that he would feel a lot better. He did not think that FOSTER was significantly depressed nor had Foster given the impression that he was "in crisis". From what FOSTER told him, FOSTER's condition sounded mild and situational. WATKINS advised that he was only a little bit alarmed in that FOSTER had insisted on talking to him directly instead of discussing things through his nurse.


After FOSTER's death, WATKINS spoke with a psychiatrist and asked him whether any suicides had been linked to Desyrel and was told they had not. WATKINS advised he was particularly glad, in retrospect, that he had not prescribed Prozac, inasmuch as Prozac has been associated with some suicides. He advised that he did not even ask FOSTER if he had thought about suicide or was having any suicidal ideation because the symptoms that FOSTER was describing were not severe enough to cause WATKINS to think that he might be in that state. WATKINS handles depression all the time among his patients. He said that it is a very, very common thing. He had told FOSTER to let him know how he was doing and was not particularly concerned about follow-up because he knew that either FOSTER would get back to him or WATKINS would find out through LISA how FOSTER was doing because his contact with the family was fairly frequent. He was aware that LISA and VINCE FOSTER had discussed the Desyrel. He did not know whether he had told LISA beforehand that he had called Dr. WATKINS and discussed depression but he knew that LISA knew about it after the fact and they had discussed it.

WATKINS advised that he never prescribed beta blockers for FOSTER to help him with stress, which he would do for some attorneys during litigation or other high stress periods to calm them down. He also advised that FOSTER never showed any indication of having problems with drugs or alcohol (one to two glasses of wine per day).

FOSTER's weight in 1987 was 200 pounds. As of August 1990 he was 207 pounds. His weight on December 31, 1992 was 194 pounds and WATKINS had made a note that he was on a diet and exercising.

Vince Foster weighed
194 lbs on Dec.31, 1992

WATKINS described FOSTER's personality as quiet, and passive, with a good sense of humor and a dry wit--someone who laughed a lot. FOSTER was not one to come to WATKINS with stress




OIC 000314

000107

2173

On July 20, 1993 at his autopsy
Foster weighed 197 lbs.

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH
OFFICE OF THE CHIEF MEDICAL EXAMINER
NORTHERN VIRGINIA DISTRICT
9797 BRADDOCK ROAD
SUITE 100
FAIRFAX, VA 22032-1700
PHONE (703) 764-4840



Autopsy No. 353/93
Date 7/21/93
Time 10:00 A.M.

REPORT OF AUTOPSY

DECEDENT VINCENT FOSTER
First Middle Last

Autopsy Authorized by: Dr. Donald Haut - Fairfax County

Body Identified by: U.S. Park Police Tag - 7/20/93
Persons Present at Autopsy:
James C. Beyer, M.D.; Det. James G. Morrisette, U.S. Park Police

Rigor: complete X jaw _____ neck _____ arms _____ legs _____
Liver: color pale red distribution: posterior
Age 48 Race W Sex M Length 76 1/2" Weight 197 Eyes hazel Pupils: R RRE L RRE
Hair graying black Mustache no Beard no Circumcised yes Body Heat cool

Clothing, Personal Effects, External wounds, scars, tattoos, other identifying features: See attached sheet.

PATHOLOGICAL DIAGNOSIS:

CARDIOVASCULAR SYSTEM: Heart, no evidence of hypertrophy, valvular or congenital abnormalities. Epi and endocardium, no evidence of fibrosis or inflammation. Coronary arteries, normal origin and distribution; no significant alteration all segments. Myocardium, no evidence of fibrosis, inflammation or infarction. Aorta, minimal arteriosclerosis.
RESPIRATORY SYSTEM: Larynx, trachea and bronchi, no evidence of trauma, obstruction or inflammation. Lungs, pulmonary congestion; aspiration or blood. No evidence of inflammation or pulmonary artery emboli. Hemidiaphragms intact.
LIVER: No evidence of trauma or inflammation.
SPLEEN: No evidence of trauma.
PANCREAS, ADRENAL AND THYROID GLANDS: No significant alteration.
G.I. TRACT: No evidence of trauma, hemorrhage or inflammation.
GENITOURINARY TRACT: Kidneys, no evidence of trauma or inflammation. Urinary bladder and genitalia, no significant alteration.
HEAD: Perforating gunshot wound - entrance in mouth in posterior oropharynx with wound track extending backward and upward with exit from back of head.

FOR PROFESSIONAL USE ONLY
CONTENTS NOT TO BE DUPLICATED

Cause of Death: PERFORATING GUNSHOT WOUND MOUTH - HEAD


Provisional Report _____
Final Report /

The facts stated herein are true and correct to the best of my knowledge and belief.

July 28, 1993 NO VA ME OFFICE J. C. Beyer
Date Signed Place of Autopsy Signature of Pathologist
James C. Beyer, M.D.

CME Form No. 10 - Revised 6/89

A COPY TESTE: JUL 28 1993
J. C. Beyer



000108